


Discrete Models of Sampled-Data Systems

Digital Control Systems



Continuous-Time Control Systems



Digital Control Systems



Sampled-Data Systems




Discrete Transfer Function

$$G(z) = \frac{Y(z)}{U(z)}$$

Unit Pulse: $e(k) = \begin{cases} 1, & k = 0 \\ 0, & k \neq 0 \end{cases} = \delta(k)$

$$\mathcal{Z}[\delta(k)] = \sum_{k=0}^{\infty} e(k)z^{-k} = 1$$

$$U(z) = 1, Y(z) = G(z)U(z) = G(z)$$



$$\mathcal{L}[1(t) - 1(t - T)] = \frac{1}{s} - \frac{e^{-sT}}{s}$$

Discrete Transfer Function

$$Y(s) = (1 - e^{-Ts}) \frac{G(s)}{s}$$

$$\begin{aligned} G(z) &= \mathcal{Z}[Y(kT)] = \mathcal{Z}[\mathcal{L}^{-1}\{Y(s)\}] \triangleq \mathcal{Z}[Y(s)] \\ &= \mathcal{Z}\left[(1 - e^{-Ts}) \frac{G(s)}{s}\right] = \mathcal{Z}\left[\frac{G(s)}{s}\right] - \mathcal{Z}\left[e^{-Ts} \frac{G(s)}{s}\right] \\ \mathcal{Z}\left[e^{-Ts} \frac{G(s)}{s}\right] &= z^{-1} \mathcal{Z}\left[\frac{G(s)}{s}\right] \\ G(z) &= (1 - z^{-1}) \mathcal{Z}\left[\frac{G(s)}{s}\right] \end{aligned}$$

Discrete Transfer Function: Example

$$G(s) = \frac{a}{s+a}, \quad \frac{G(s)}{s} = \frac{a}{s(s+a)} = \frac{1}{s} - \frac{1}{s+a}$$

$$\mathcal{L}^{-1} \left\{ \frac{G(s)}{s} \right\} = 1(t) - e^{-at} 1(t), \quad 1(kT) - e^{-akT} 1(kT)$$

$$\mathcal{Z} \left[\frac{G(s)}{s} \right] = \frac{z}{z-1} - \frac{z}{z-e^{-aT}} = \frac{z(1-e^{-aT})}{(z-1)(z-e^{-aT})}$$

$$G(z) = (1-z^{-1}) \mathcal{Z} \left[\frac{G(s)}{s} \right] = \frac{z-1}{z} \frac{z(1-e^{-aT})}{(z-1)(z-e^{-aT})}$$

$$= \frac{(1-e^{-aT})}{(z-e^{-aT})}$$

Discrete Transfer Function: Example

$$G(s) = \frac{1}{s^2}$$

$$G(z) = (1 - z^{-1}) \mathcal{Z} \left[\frac{1}{s^3} \right] = \frac{z-1}{z} \frac{T^2}{2} \frac{z(z+1)}{(z-1)^3} = \frac{T^2}{2} \frac{(z+1)}{(z-1)^2}$$

MATLAB

T=1

numC=1,denC=[1 0 0]


sysC=tf(numC,denC)

sysD=c2d(sysC,T)


[numD,denD,T]=tfdata(sysD)

numD=[0 0.5 0.5] and denD=[1 -2 1]


Closed-Loop Digital Control System



$$\frac{Y(z)}{R(z)} = \frac{G(z)}{1 + D(z)G(z)}$$



Closed-Loop Control Systems



$$\frac{Y(s)}{R(s)} = \frac{G(s)}{1 + D(s)G(s)}$$

2nd order system: $\frac{Y(s)}{R(s)} = \frac{\omega_n^2}{s^2 + 2\zeta\omega_n s + \omega_n^2}$

$$s_{1,2} = -\zeta\omega_n \pm j\omega_n \sqrt{1-\zeta^2}$$

Mapping s-plane into z-plane

$$z = e^{sT} \Big|_{s=s_{1,2}} = e^{-\zeta\omega_n T} e^{\pm j\omega_n T \sqrt{1-\zeta^2}} = e^{-\zeta\omega_n T} \angle \left(\pm \omega_n T \sqrt{1-\zeta^2} \right) = r \angle (\pm \theta)$$

$$\begin{aligned} e^{-\zeta\omega_n T} &= r \rightarrow \zeta\omega_n T = -\ln r \\ \omega_n T \sqrt{1-\zeta^2} &= \theta \end{aligned} \quad \left. \right\} \rightarrow \frac{\zeta}{\sqrt{1-\zeta^2}} = \frac{-\ln r}{\theta}$$

$$\zeta = \frac{-\ln r}{\sqrt{\ln^2 r + \theta^2}}, \omega_n = \frac{1}{T} \sqrt{\ln^2 r + \theta^2}$$

$$\tau = \frac{1}{\zeta\omega_n} = \frac{T}{\ln r}$$

Example

$$G(s) = \frac{1}{s(s+1)}, D(s) = 1$$

$$\frac{Y(s)}{R(s)} = \frac{G(s)}{1 + D(s)G(s)} = \frac{1}{s^2 + s + 1}$$

$$\omega_n = 1, \zeta = 0.5, \tau = 2$$

Overshoot: 18%

$$T = 1$$

$$G(z) = \frac{z-1}{z} \mathcal{Z} \left[\frac{1}{s^2(s+1)} \right] = \frac{0.368z + 0.264}{z^2 - 1.368z + 0.368}$$

$$\frac{G(z)}{1 + G(z)} = \frac{0.368z + 0.264}{z^2 - z + 0.632}$$

Example

$$\frac{G(z)}{1+G(z)} = \frac{0.368z + 0.264}{z^2 - z + 0.632}$$

$$z^2 - z + 0.632 = 0 \rightarrow z = 0.5 \pm j0.618 = 0.795\angle(\pm 51.0^\circ) = 0.795\angle(\pm 0.890 \text{ rad})$$

$$r = 0.795, \theta = 0.890$$

$$\zeta = \frac{-\ln(0.795)}{\sqrt{\ln^2 0.795 + 0.890^2}} = 0.250, \omega_n = \frac{1}{1} \sqrt{\ln^2 0.795 + 0.890^2} = 0.9191$$

$$\tau = \frac{-1}{\ln(0.795)} = 4.36$$

Example: MATLAB

```
>> T=1;
>> numC=1;denC=[1 1 0];
>> sysC=tf(numC,denC);
>> sysD=c2d(sysC,T)
```

Transfer function:

$$0.3679 z + 0.2642$$

$$\frac{z^2 - 1.368 z + 0.3679}{}$$

Sampling time: 1

```
>> clsysD=feedback(sysD,1)
```

Transfer function:

$$0.3679 z + 0.2642$$

$$\frac{z^2 - z + 0.6321}{}$$

Sampling time: 1

Example: MATLAB

```
>> [clnumD,cldenD,T]=tfdata(clsysD,'v')
```

```
clnumD =
```

```
0 3.6788e-001 2.6424e-001
```

```
cldenD =
```

```
1.0000e+000 -1.0000e+000 6.3212e-001
```


```
T =
```

```
1
```

```
>> roots(cldenD)
```

```
ans =
```

```
5.0000e-001 +6.1816e-001i  
5.0000e-001 -6.1816e-001i
```



Example

$$T = 0.1$$

$$\zeta = 0.475, \omega_n = 0.998, \tau = 4.36$$

```
>> T=0.1;  
>> sysD=c2d(sysC,T)
```

Transfer function:
0.004837 z + 0.004679

$$z^2 - 1.905 z + 0.9048$$

Sampling time: 0.1

三

1

四


1

```
>> roots(cldenD)
```

ans =


9.5000e-001 +8.3763e-002i
9.5000e-001 -8.3763e-002i

Root Locus



$$1 + KG(s) = 0$$

Discrete Root Locus



$$1 + KG(z) = 0$$

```
>> T=1;
>> numC=1;denC=[1 1 0];
>> sysC=tf(numC,denC);
>> sysD=c2d(sysC,T)
```


Transfer function:

$$0.3679 z + 0.2642$$


$$\frac{z^2 - 1.368 z + 0.3679}{}$$

Sampling time: 1

```
>> rlocus(sysD)
>> zgrid
```



```
>> rlocus(sysC)
```



Frequency Response of Digital System

$$Y(z) = G(z)U(z)$$

$$U(z) = \mathcal{Z}[\sin \omega t] = \frac{z \sin \omega T}{(z - e^{j\omega T})(z - e^{-j\omega T})}$$

$$Y(z) = \frac{G(z)z \sin \omega T}{(z - e^{j\omega T})(z - e^{-j\omega T})} = \frac{k_1 z}{z - e^{j\omega T}} + \frac{k_2 z}{z - e^{-j\omega T}} + Y_g(z)$$

$$Y_{ss}(z) = \frac{k_1 z}{z - e^{j\omega T}} + \frac{k_2 z}{z - e^{-j\omega T}}$$

$$k_1 = \frac{G(e^{j\omega T}) \sin \omega T}{e^{j\omega T} - e^{-j\omega T}} = \frac{G(e^{j\omega T})}{2j}$$

Frequency Response of Digital System

$$G(e^{j\omega T}) = |G(e^{j\omega T})| e^{j\theta}, \theta = \angle G(e^{j\omega T})$$

$$k_1 = \frac{|G(e^{j\omega T})| e^{j\theta}}{2j}$$

$$k_2 = \frac{|G(e^{j\omega T})| e^{-j\theta}}{-2j} = -\frac{|G(e^{j\omega T})| e^{-j\theta}}{2j}$$

$$y_{ss}(kT) = k_1 (e^{j\omega T})^k + k_2 (e^{-j\omega T})^k = |G(e^{j\omega T})| \sin(\omega kT + \theta)$$

Frequency Response of Digital System

$$G(z) \rightarrow |G(e^{j\omega T})|, \angle G(e^{j\omega T})$$

$$G(s) \rightarrow |G(j\omega)|, \angle G(j\omega)$$

```
>> G=tf(1,[1 1])
```

Transfer function:

$$\frac{1}{s + 1}$$


```
>> Gz=c2d(G,0.1)
```

Transfer function:

$$\frac{0.09516}{z - 0.9048}$$

Sampling time: 0.1

```
>> figure;bode(G)
>> figure;bode(Gz)
```



Bilinear Transformation

$$z = \frac{1 + (T/2)w}{1 - (T/2)w}$$

$$w = \frac{2}{T} \frac{z-1}{z+1}$$

On the unit circle in z-plane: $z = e^{j\omega T}$


$$w = \frac{2}{T} \frac{z-1}{z+1} \Big|_{z=e^{j\omega T}} = \frac{2}{T} \frac{e^{j\omega T} - 1}{e^{j\omega T} + 1} = \frac{2}{T} \frac{e^{j\omega T/2} - e^{-j\omega T/2}}{e^{j\omega T/2} + e^{-j\omega T/2}}$$

$$= j \frac{2}{T} \tan \frac{\omega T}{2} = j\omega_w$$

$$\omega_w = \frac{2}{T} \tan \frac{\omega T}{2}$$

Bilinear Transformation

$$\omega_w = \frac{2}{T} \tan \frac{\omega T}{2}$$



Bilinear Transformation

$$\omega \ll \omega_s$$

$$\omega_w = \frac{2}{T} \tan \frac{\omega T}{2} = \frac{2}{T} \frac{\sin \frac{\omega T}{2}}{\cos \frac{\omega T}{2}} \approx \frac{2}{T} \frac{\omega T}{2} = \omega$$

$$\frac{\omega T}{2} < \frac{\pi}{10} \rightarrow \text{error is less than 4\%}$$

$$\omega < \frac{2\pi}{10T} = \frac{\omega_s}{10}$$





Figure 7-4 Mapping from s -plane to z -plane to w -plane.

MATLAB lead_digital.m

```
N=200;
Ts=1/100
Gp=tf(100,[1 1 0])
Gz=c2d(Gp,Ts,'zoh')

figure(1)
step(feedback(Gz,1),10)

Gw=d2c(Gz,'tustin')
figure(2)
margin(Gw);

w=logspace(-2,3,N);
[mag,phase]=bode(Gw,w);
for i=1:N
    Gw_mag(i)=mag(i);
    Gw_phase(i)=phase(i);
end
```

MATLAB lead_digital.m

```
phimax=50;
alpha=(1-sin(pi*phimax/180))/(1+sin(pi*phimax/180))
10*log10(1/alpha)

[w' (20*log10(Gw_mag))' Gw_phase']

wmax=16.5;
T=1/(wmax*sqrt(alpha));
num1=[T 1];
den1=[T*alpha 1];

Dw=tf(num1,den1)

figure(3)
margin(Dw*Gw)

Dz=c2d(Dw,Ts,'tustin')
figure(4)
step(feedback(Dz*Gz,1),10)
```

MATLAB lead_digital.m

Transfer function:

$$\frac{100}{s^2 + s}$$

Transfer function:

$$\frac{0.004983 z + 0.004967}{z^2 - 1.99 z + 0.99}$$

Sampling time: 0.01

Transfer function:

$$\frac{-4.167e-006 s^2 - 0.4992 s + 100}{s^2 + s + 1.11e-013}$$

MATLAB lead_digital.m

alpha =

1.3247e-001

ans =

8.7787e+000

ans =

1.0000e-002 8.0000e+001 -9.0576e+001

1.4650e+001 -6.6302e+000 -1.8028e+002

1.5522e+001 -7.6302e+000 -1.8074e+002

1.6447e+001 -8.6300e+000 -1.8121e+002

1.7426e+001 -9.6297e+000 -1.8169e+002

MATLAB lead_digital.m

Transfer function:

$$0.1665 s + 1$$

$$0.02206 s + 1$$


Transfer function:

$$6.339 z - 5.969$$



$$z - 0.6304$$

Sampling time: 0.01

MATLAB lead_digital.m



MATLAB lead_digital.m



Gz 와 Gw 의 GM 과 PM

```
N=200;  
Ts=1/100  
Gp=tf(40,[0.1 1 0])  
Gz=c2d(Gp,Ts,'zoh')
```

```
figure(1)  
margin(Gz);  
  
Gw=d2c(Gz,'tustin')  
figure(2)  
margin(Gw);
```

```
w=logspace(-2,2,N);  
[mag,phase]=bode(Gw,w);  
for i=1:N  
    Gw_mag(i)=mag(i);  
    Gw_phase(i)=phase(i);  
end
```

Gz 와 Gw 의 GM 과 PM

```
phimax=50;
alpha=(1-sin(pi*phimax/180))/(1+sin(pi*phimax/180))
10*log10(1/alpha)

[w' (20*log10(Gw_mag))' Gw_phase']



wmax=33;
T=1/(wmax*sqrt(alpha));
num1=[T 1];
den1=[T*alpha 1];

Dw=tf(num1,den1)



figure(3)
margin(Dw*Gw)

Dz=c2d(Dw,Ts,'tustin')
figure(4)
margin(Dz*Gz)
```

Gz 와 Gw 의 GM 과 PM



Gz 와 Gw 의 GM 과 PM



$$\zeta = \frac{1 + (T/2)w}{1 - (T/2)w}$$

$$w = \frac{2}{T} \frac{z-1}{z+1}$$

On the unit circle in z-plane: $z = e^{j\omega T}$

$$w = \left. \frac{2}{T} \frac{z-1}{z+1} \right|_{z=e^{j\omega T}} = \frac{2}{T} \frac{e^{j\omega T} - 1}{e^{j\omega T} + 1} = \frac{2}{T} \frac{e^{j\omega T/2} - e^{-j\omega T/2}}{e^{j\omega T/2} + e^{-j\omega T/2}}$$

$$= j \frac{2}{T} \tan \frac{\omega T}{2} = j\omega_w$$

$$\omega_w = \frac{2}{T} \tan \frac{\omega T}{2}$$

$$e^{j\omega T} = \frac{1 + (T/2)j\omega_w}{1 - (T/2)j\omega_w}$$

$$G_w(w) = G(z) \Big|_{z=\frac{1+(T/2)w}{1-(T/2)w}} = G\left(\frac{1+(T/2)w}{1-(T/2)w}\right)$$

$$G_w(j\omega_w) = G\left(\frac{1+(T/2)j\omega_w}{1-(T/2)j\omega_w}\right) = G(e^{j\omega T})$$